AMENDMENTS

IN THE CLAIMS:

1-33 (canceled).

- 34. (currently amended) A process for preparing acarbose, comprising the steps of:
 - (i) transforming a host cell with a recombinant DNA molecule which comprises acarbose-synthesizing genes, and
 - (ii) culturing said host cell under conditions such that said DNA molecule is expressed, and said acarbose is synthesized, and
 - (iii) isolating said acarbose from culture supernatants of said host cell, wherein said DNA molecule is selected from the group consisting of (a) the nucleotide sequence of SEQ ID NO:7; (b) a nucleotide sequence which is capable of hybridizing, under stringent conditions, with the sequence of SEQ ID NO:7; (c) nucleotides 1-720 of SEQ ID NO:7; (d) nucleotides 720-2006 of SEQ ID NO:7; (e) nucleotides 2268-3332 of SEQ ID NO:7; (f) nucleotides 3332-4306 of SEQ ID NO:7; (g) nucleotides 4380-5414 of SEQ ID NO:7; and (h) nucleotides 5676-6854 of SEQ ID

U.S. Serial No. 09/922,683

NO:7 and (c) a nucleotide sequence which, because of the degeneracy of the genetic code differs from the nucleotide sequence of SEQ ID NO:7, but which permits the expression of a protein which can be expressed using SEQ ID NO:7.

35. (previously presented) A process for preparing acarbose according to Claim 34, wherein said host cell is selected from the group consisting of *E. coli, Bacillus subtilis, Streptomyces, Actinoplanes, Ampullariella* or *Streptosporangium strains, Streptomyces hygroscopicus var. limoneus* or *Streptomyces glaucescens, Aspergillus niger, Penicillium chrysogenum* and *Saccharomyces cerevisiae*.

36-48. (canceled).